

Legnano, April 19th, 2021

PRICE LIST UPDATE – APRIL 2021

Dear Partner,

thank you for your cooperation and commitment in promoting our products & solutions. With this communication, we would like to update you with our latest Price List – April 2021 - including all upcoming news from our product portfolio.

The download of the current price list is available for your use in PDF and XLS; those documents are updated each time new pricing is released and, to identify the revision, you'll find the price lists release number on the cover front of the pdf.

Don't hesitate to let your sales reference know if you have any feedback or questions.

Best Regards,

Giangiacomo Pastore

Sales Manager EU
Eelectron SpA

NEW PRODUCTS APRIL 2021

Subscribe to our newsletter:

<https://www.eelectron.com/en/newsletter>

Follow us on social media



KNX MULTISENSOR'S RANGE

DETECTION EXTENSION up to Ø 14m
BLACK COLOR AVAILABILITY

PD00E00KNX-3 – Presence Sensors KNX Basic - Black
PD00E01KNX-3 – Presence Sensors KNX Standard - Black
PD00E02KNX-3 – Multi.Sensor KNX - Black
PD00E03KNX-3 – Space Sensor KNX - Black
PD00E09KNX-3 – High Bay Presence Sensor KNX - Black

PD00E00ACC-3 – Surface Mounting Enclosure- Black

SM03A01ACC-3 – Plug in Sensor CO₂ & Temperature - Black
SM03A02ACC-3 – Plug in Sensor VOC, CO₂ & Temperature - Black



Main Features:

- Extension of black color as standard code on the whole Multi.Sensor's range including Plug-in Sensors.
- New detection range now increased up to Ø 14 m

Ready for delivery - Stock

WIDE & CORRIDOR PRESENCE SENSORS KNX

PD00E20KNX – KNX Wide Range Presence Sensor
PD00E21KNX- KNX Corridor Presence Sensor

Main Features:

PD00E20KNX

- Detection Range: Ø 24 m
- 3 PIR inside
- Lighting Control
- 1 Digital Input
- 1 Analog/Digital Input (for NTC temperature sensor or Plug-in modules)
- HCL Management
- Virtual Holder Logic
- Freely Configurable Logics

PD00E21KNX:

- Detection Range: 40*5mt
- 2 PIR inside
- Lighting Control
- 1 Digital Input
- 1 Analog/Digital Input (for NTC temperature sensor or Plug-in modules)
- HCL Management
- Virtual Holder Logic
- Freely Configurable Logics



Ready for delivery – from April 2021

EXTENDING INPUTS/OUTPUTS MODULES F SERIES:

IO12F01KNX – Universal Actuator **12 IN / 12 OUT** Plus

IO12F01KNX-SD - Universal Actuator 12 IN / 12 OUT Plus + SD Card

BO12F01KNX - Universal Actuator **12 OUT** Plus

BO12F01KNX-SD - Universal Actuator 12 OUT Plus + SD Card

BO24F01KNX - Universal Actuator **24 OUT** Plus

BO24F01KNX-SD - Universal Actuator 24 OUT Plus + SD Card

Main Features:

Outputs

- 12 or 24 outputs for lights and load control
- 6 or 12 shutters/ venetians / blinds management
- 3 or 6 - fancoil 2 pipes management or 2 or 4 - fancoil 4 pipes management
- 12 or 24 channels for valves in PWM
- 6 or 12 channels for 3 point valves control
- Relays (up to 6) can be grouped to create special functions using logic interlock



Inputs

- 12 digital inputs / signal led output
- 4 inputs (of 12) configurable as analog for the connection of probes for temperature measurement (up to 4) or for simple on/off management (eg. towel heater..)
- 3 two-stages thermostats with integrated PI controller for heating and cooling management, valves or 2 / 4 pipes fan coils

MicroSD Card Reader

- Both actuators may include a microSD card reader to enable programming restore to an identical device for fast installation and easy programming in or out of field.

Ready for delivery – from June 2021



NEW RANGE OF OUTPUTS MODULES K SERIES:

BO04K01KNX – Universal Actuator 4 Outputs

BO08K01KNX - Universal Actuator 8 Outputs

BO12K01KNX - Universal Actuator 12 Outputs

Main Features:

Outputs

- 4 – 8 or 12 outputs for lights and load control
- 2 – 4 or 6 shutters/ venetians / blinds management
- Freely Configurable Logics
- Manual Control & LED Feedbacks
- Outputs on single level for faster & simpler installation



Ready for delivery – from May 2021

NEW RANGE OF ENERGY METERS MID CERTIFIED:

PM10A02IRE – Energy Meter Single Phase 80 A – MID

PM30A02IRE - Energy Meter Three Phase 80 A – MID

PM00A00IRI – KNX Interface for Energy Meters

Main Features:

Outputs

- MID Certified
- 0.25-5 (80) A, Class B, 230 VAC 50 Hz
- 2 Tariffs.
- Active Energy Class B (according to EN-50470) and Reactive Energy Class 2 (according to IEC 62053-23)
- Direct connected (up to 80 A)
- LCD display and 3 push-button keys (to read Energies, V, I, PF, F, P, Q and to configure some parameters)
- 1 push button and 1 LED dedicated to KNX
- Display with 8 digits.
- Mono & Three Phase installations.



Ready for delivery – Stock

NEW 3,5 KNX TOUCH PANEL EVO21:

TP35A01KNX-1 – 3,5 KNX Touch Panel White

TP35A01KNX-3 - 3,5 KNX Touch Panel Black

Main Features:

- New Icons Set
- New compact design and graphics
- Multi language support
- 6 pages with 8 object each
- 1 Page of Alarm
- ETS Configuration
- Integrated Thermostat (Local or Zones)
- Lights, Shutters, Scenes, Entertainment, Clock, Energy Metering , RGB Control
- Installation on 2 or 3 modules inwall box

Ready for delivery – June 2021

NEW DESIGN & MECHANICAL RELEASE FOR EELECTA MINIPADS:

MB40BxDKNX-xx – KNX MiniPad 4 Channels – Complete / New Opaline Center

MB80CxDKNX-xx – KNX MiniPad 8 Channels + TS + Circular Functions – Complete / New Opaline Center

Main Features:

- New Mechanical Design
- New Central Opaline Cross
- Black or White Color
- Engraving Customization available
- 4/8 Channels
- Integrated Thermostat
- Circular Functions
- Installation on 2 module inwall box.



Ready for delivery – Stock

9025 GRMS HOTEL'S RANGE:

TR00C01KNX-x – 9025 Transponder Reader with 3 Control Buttons

TH00C01KNX-x – 9025 Transponder Holder with 3 Control Buttons

TE00C01USB – 9025 Transponder Encoder

CD00M0xTRx – Transponder Cards, Keyholder , Wearable Mifare 1K

SW00FxxACS – Embedded Pc with eSuite + 2 clients & additional rooms*

*for a deeper overview of the whole GRMS please overview our price list 2021 & website.

Main Features:

- Increased security RFID based on Mifare Standard 13.5MHz
- Available in Glass or Plexiglass Finish
- Keep properly operating after power supply failure
- Multiple Standards Installation Boxes Compatibility (2 or 3 Module Inwall Box)
- Advanced visual feedback powered by LEDs
- Intuitive indicators by Standard & Customizable Icons
- Buzzer indicator, RGB bar for night light and custom others (es. warning)
- Mifare Transponder Cards, Keyholder or Wearable
- GRMS supervision updated with eSuite 2.0 (suitable also for old installation)
- Extended integration with Horizone Virtual Badge & intelligent door locks
- Integration with PMS Property Management System
- Integration with BEMS / BACS or Building Supervisors





Ready for delivery – June 2021

DASHBOARD PLATFORM:

DB00A10CLD - DASHBOARDING PLATFORM - 100 points over Dashboards

Main Features:

- Compatible with Horizone WS standard / Mini
- Cloud based
- Exportable data in CSV file
- KPI management
- Possibility to collect data from different webserver on a single dashboard.



Ready for delivery – May 2021

ADD-ON 9025'S RANGE

TS01D01ACC-x – Temperature Probe Accessory

Main Features:

- Glass Finish suitable for 2 or 3 inwall box
- To be connected on Eelectron's analogue input
- NTC Probe
- Customizable on request



Ready for delivery – July 2021




9025'S RANGE GOES LINE:

From June 2021 the whole 9025's range - which includes Switches, Thermostat / Humidistat & Door Panel will include a new design named LINE along with the double glass version that remains available.

This new design will allow you and to your clients a better visualization of alarms, status and feedbacks through the RGB Bar (that might be enlightened or not according with your needs) keeping the same high flexibility of the standard version but with an extra feature.

All the new glass codes are already available on the current price list – for integration of existing installations Eelectron will cover the request of old version until official phase out.

Ready for delivery – June 2021



MARKETING TOOLS

The right Package for Your demo target audience.

Need to expose your projects with:

- Architects / Designers
- Engineers / Specifiers
- Real Estate / PropTech
- General Contractors
- Installers
- Facility Managers
- End Users
- Other Key Stakeholders

- Dummy & Functional demo box
- Operational Demo Cases KNX & OTOMO
- Simple Kit Lab Test or Showroom



Available on request – contact your sales reference here:
sales@eelectron.com

PHASE OUT PRODUCTS:

Phase out codes list is at your distributor or authorized reseller disposal, including special conditions available until stocks run out.

Phase out Products Categories:

- Transformer AC/DC
- Compact Energy Meters KNX (Monophase)
- 9025 Standard Glass (2 or 3 module version)
- 3025 KNX Switch (Glass & Metal Finish)
- Inwall Presence Sensor (Conventional 1 ch.)
- KNX/ Raspberry Pi Interface
- 3,5 KNX Touch Panel Squared (Metal, Glass Finish)
- HomePad's Eelecta including spare parts
- Miniswitch KNX
- Docking Station
- Synchronicity's range

Discontinued Products Categories:

- Compact Energy Meters KNX (Three Phase)
- MiniPad KNX (old version and color availability)
- Inwall Boxes
- 9025 RGB version 2 Channels (2 or 3 module version)
- Door Panel 9025 Double Glass
- Synchronicity's Glass Finish on TR22 / TH22 & TMxx

For more informations:

www.eelectron.com

Catalogues 2021 – soft copies always in update

<https://www.eelectron.com/en/catalogues/>

Newsletter:

<https://www.eelectron.com/en/newsletter>

Social media:

